

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,185	06/03/2005	Robert Lohr	METPAT P76AUS	5313
20210 DAVIS & BIII	7590 02/01/2007 OLD PLIC		EXAMINER	
DAVIS & BUJOLD, P.L.L.C. 112 PLEASANT STREET			PATEL, DHARTI HARIDAS	
CONCORD, N	<b>ИН 03301</b>		ART UNIT	PAPER NUMBER
			2836	
			MAIL DATE	DELIVERY MODE
			02/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

Application No. Applicant(s) Supplemental 10/534,185 LOHR ET AL. Notice of Allowability Examiner Art Unit Dharti H. Patel 2836 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 12/27/2006. 2. The allowed claim(s) is/are 14-27. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some\* c) None of the: 1. 

Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. 

A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) Thereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. M Information Disclosure Statements (PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date 12/27/2006 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material

9. ☐ Other .

Art Unit: 2836

## Information Disclosure Statement

The information disclosure statement (IDS) submitted on 12/27/2006 was filed after the mailing date of the Notice of Allowance on 12/14/2006. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

## Allowable Subject Matter

The following is an examiner's statement of reasons for indicating allowance of claim 14: The prior art does not disclose at least two electrical contact elements contacting the grounded metal guide rail wherein the contact elements are separated from one another and in contact with the metal guide rail and the contact elements together with a portion of the guide rail extending between the contact elements forming a safety loop supplied from a low voltage electrical generator with terminals connected to the safety loop; and a current passage detector connected to the safety loop and detecting a current flowing in the safety loop and furnishing a signal indicating whether the safety loop is one of open or closed depending upon whether electrical contact at a level of the contact elements is one of satisfactory or unsatisfactory, and when the electrical contact is unsatisfactory, the signal causing at least one of safety elements to be engaged. This feature in combination with the rest of the claim limitations is not anticipated or rendered obvious by the prior art of record.

Page 3

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dharti H. Patel whose telephone number is 571-272-8659. The examiner can normally be reached on 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on 571-272-2800, Ext. 36. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DHP 01/29/2007

STEPHEN W. JACKSON PRIMARY EXAMINER